

CERTIFICATE OF ANALYSIS

Date issue: 11 September 2024

Product Name	CLEARLENs IPA VH1 S 6x0.9L		
Product Code	<input checked="" type="checkbox"/> 101105062	<input type="checkbox"/> 101105063	<input type="checkbox"/> 101105064
Batch Number	FMP24220	60658	
Production Date	07/08/2024		
Expiration Date	EXP 07/08/2026		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	60658
Sterility Certificate	Sterility by Membrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	UK243030-20518
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	UK243030-20519

	Date of released on behalf of Diversey's Manufacturing Location:	Testers:	
		Natalia Traichel	11/09/2024
		Angelika Pietraszko	11/09/2024
		Quality Control Inspector	
		Olga Kirchner	01/10/2024

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommended conditions indicated in the SDS.

End of certificate of analysis

R55480102

08/20/2024 8:36:02 GMT
Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3606198
P.O.#	408796			Sales Order #	3617646
	25 - 45 kGy	Gamma Irradiation	Irradiation Date/Time:	08/19/2024 12:24:36 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP24220	60658/STR002199
			Dose Map	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By-----	
						User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.5 KGY	Pass	PSAXTON	08/20/2024 03:57:04 GMT
		Reason Code Test				PAUL SAXTON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.3 KGY	Pass	PSAXTON	08/20/2024 03:57:24 GMT
		Reason Code Test				PAUL SAXTON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
Reason: Work Order Completions

Date: 08/20/2024 08:34:37 GMT

R55480102

 09/02/2024 10:36:13 GMT
 Page 1 of 1

Customer Name:	FLEXIBLE MED. GBP UK LANCASTER	Processing Facility:	Markham Vale	Work Order #	3611037
P.O.#	408852			Sales Order #	3623668
	25 - 45 kGy	Gamma Irradiation		Irradiation Date/Time:	09/01/2024 06:43:43 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1072	BX	101105062	Diversey Clearklens IPA 900ml	FMP24220	60658/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	3	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP24220	60658/STR002199
			302_0112	RF: 13.5A3, AF Min: 0.717		
	1075	BX	Total			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	-----Signed By----- User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	37.7 KGY	Pass	LDAWSON	09/02/2024 01:00:28 GMT
		Reason Code Test				LINDSAY DAWSON	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	26.6 KGY	Pass	LDAWSON	09/02/2024 01:00:57 GMT
		Reason Code Test				LINDSAY DAWSON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA
 Reason: Work Order Completions

Date: 09/02/2024 10:35:27 GMT

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Anna Teterina

Report of Tests on: ClearKlens IPA VH1

Sample Description: Sample Code: FMP24220 60658

Lucideon Sample Number: UK243030-20518

Lucideon Report Number: UK243030-20518/MFEP **Issue Number:** 1

Date Logged: 06-Sep-2024 **Order Number:** 408928

Date Reported: 30-Sep-2024 **Date(s) of Test(s):** 13-Sep-2024 to 27-Sep-2024

Sterility Testing
Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 30 September 2024 | 14:37 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited T +44 (0)1785 331874
Stone Business Park query@lucideon.com
Brooms Road, Stone www.lucideon.com
Staffordshire, ST15 0SH, UK Reg. England 1960455

Certificate Of Completion

Envelope Id: 8C38FD18826B40FCB534E13696E198D3

Status: Completed

Subject: Complete with DocuSign: DataWindow.xps

Source Envelope:

Document Pages: 3

Signatures: 3

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

30-Sep-24 | 14:35

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication, Login with SSO*Natalie Boot*

Sent: 30-Sep-24 | 14:36

Viewed: 30-Sep-24 | 14:36

Signed: 30-Sep-24 | 14:37

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.222.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

I have reviewed this document

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

30-Sep-24 | 14:36

Certified Delivered

Security Checked

30-Sep-24 | 14:36

Signing Complete

Security Checked

30-Sep-24 | 14:37

Completed

Security Checked

30-Sep-24 | 14:37

Payment Events**Status****Timestamps**

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Anna Teterina

Report of Tests on: ClearKlens IPA VH1

Sample Description: Sample Code: FMP24220 60658

Lucideon Sample Number: UK243030-20519

Lucideon Report Number: UK243030-20519/ETEP **Issue Number:** 1

Date Logged: 06-Sep-2024 **Order Number:** 408928

Date Reported: 19-Sep-2024 **Date(s) of Test(s):** 13-Sep-2024 to 13-Sep-2024

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (0.2125 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot

Signing Reason: I have reviewed this document

Signing Time: 19 September 2024 | 14:01 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK
T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: F3DAB7816DBB48E190BB582DED1D4E6A

Status: Completed

Subject: sign

Source Envelope:

Document Pages: 1

Signatures: 1

Envelope Originator:

Certificate Pages: 1

Initials: 0

Natalie Boot

AutoNav: Enabled

Queens Road

Enveloped Stamping: Disabled

Stoke-on-Trent, Staffordshire ST4 7LQ

Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Natalie.Boot@uk.lucideon.com

IP Address: 86.188.222.148

Record Tracking

Status: Original

Holder: Natalie Boot

Location: DocuSign

19-Sep-24 | 13:58

Natalie.Boot@uk.lucideon.com

Signer Events**Signature****Timestamp**

Natalie Boot

natalie.boot@uk.lucideon.com

Placeholder

Lucideon Limited

Security Level: Email, Account Authentication
(Required), Authentication*Natalie Boot*

Sent: 19-Sep-24 | 14:01

Viewed: 19-Sep-24 | 14:01

Signed: 19-Sep-24 | 14:02

Signature Adoption: Pre-selected Style

Signature ID:

90369E90-4813-4123-B65D-5E8FBD375BF3

Using IP Address: 86.188.245.148

With Signing Authentication via DocuSign password

With Signing Reasons (on each tab):

I have reviewed this document

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp****Certified Delivery Events****Status****Timestamp****Carbon Copy Events****Status****Timestamp****Witness Events****Signature****Timestamp****Notary Events****Signature****Timestamp****Envelope Summary Events****Status****Timestamps**

Envelope Sent

Hashed/Encrypted

19-Sep-24 | 14:01

Certified Delivered

Security Checked

19-Sep-24 | 14:01

Signing Complete

Security Checked

19-Sep-24 | 14:02

Completed

Security Checked

19-Sep-24 | 14:02

Payment Events**Status****Timestamps**